

M1

Precision weights - class M1

Adjustment, testing and calibration weights for commercial balances (class III) and for quality assurance of scales with steps $\leq 10\,000$ according to ISO 9001ff.

Weights for calibration of weights of classes M2 and M3



Weights in the exclusive assortment case.

ACCESSORIES



All weight sets include gloves, two brushes and two tweezers.

Up to 50 g without big tweezers, big brush and gloves.



CLEAN ROOM
PLASTIC CASES



BEECH WOODEN
BOX



SERVICE
CASE



PLASTIC BOXES WITH
SCREWED TOP




LEATHER CASES



Milligramm weights

ALUMINIUM / GERMAN SILVER NICKEL

Flat polygonal sheets




SINGLE WEIGHT

Nominal value	Tol. +/- mg	without box	 Plastic boxes with screwed top	 Clean room plastic cases	DAkkS Calibration certificate
		Art.no.	Art.no.	Art.no.	Art.no.
1 mg	0,20	5.PAHO-010	5.PAHD-010	5.PAHP-010	5.0000-011
2 mg	0,20	5.PAHO-020	5.PAHD-020	5.PAHP-020	5.0000-021
5 mg	0,20	5.PAHO-030	5.PAHD-030	5.PAHP-030	5.0000-031
10 mg	0,25	5.PNHO-040	5.PNHD-040	5.PNHP-040	5.0000-041
20 mg	0,30	5.PNHO-050	5.PNHD-050	5.PNHP-050	5.0000-051
50 mg	0,40	5.PNHO-060	5.PNHD-060	5.PNHP-060	5.0000-061
100 mg	0,50	5.PNHO-070	5.PNHD-070	5.PNHP-070	5.0000-071
200 mg	0,60	5.PNHO-080	5.PNHD-080	5.PNHP-080	5.0000-081
500 mg	0,80	5.PNHO-090	5.PNHD-090	5.PNHP-090	5.0000-091

* 1 mg - 5 mg made of aluminium

SETS

Nominal value	Qty.	Content	 Clean room plastic cases	 Beech wood box	DAkkS Calibration certificate
			Art.no.	Art.no.	Art.no.
1 mg – 500 mg	12	1,11 g	5.XMFP-710	5.XMFB-710	5.0000-711

3-Part service case

Available for all classes of weights

1mg – 5kg



Price on request

Trolley

Available for all classes of weights

1mg – 10kg

1mg – 20kg



Price on request

Knob weights



BRASS* finely turned

SINGLE WEIGHT

Nominal value	Tol.	without box	Plastic boxes with screwed top	Clean room plastic cases	Beech wood box	Service case	DAkks Calibration certificate
	+/- mg	Art.no.	Art.no.	Art.no.	Art.no.	Art.no.	5.0000- Art.no.
1 g	1,0	5.KMFO-110	5.KMFD-110	5.KMFP-110	5.KMFB-110		...111
2 g	1,2	5.KMFO-120	5.KMFD-120	5.KMFP-120	5.KMFB-120		...121
5 g	1,6	5.KMFO-130	5.KMFD-130	5.KMFP-130	5.KMFB-130		...131
10 g	2,0	5.KMFO-140	5.KMFD-140	5.KMFP-140	5.KMFB-140		...141
20 g	2,5	5.KMFO-150	5.KMFD-150	5.KMFP-150	5.KMFB-150		...151
50 g	3,0	5.KMFO-160	5.KMFD-160	5.KMFP-160	5.KMFB-160		...161
100 g	5	5.KMFO-170	5.KMFD-170		5.KMFB-170		...171
200 g	10	5.KMFO-180	5.KMFD-180		5.KMFB-180		...181
500 g	25	5.KMFO-190	5.KMFD-190		5.KMFB-190		...191
1 kg	50	5.KMFO-210	5.KMFD-210		5.KMFB-210		...211
2 kg	100	5.KMFO-220	5.KMFD-220		5.KMFB-220		...221
5 kg	250	5.KMFO-230	5.KMFD-230		5.KMFB-230	5.KMFS-230	...231
10 kg	500	5.KMFO-240	5.KMFD-240		5.KMFB-240	5.KMFS-240	...241
20 kg	1.000	5.KMFO-250			5.KMFB-250	5.KMFS-250	...251

SETS

Nominal value	Qty.	Content	Clean room plastic box	Beech wood box	Service case	DAkks Calibration certificate
			Art.no.	Art.no.	Art.no.	Art.no.
1 g – 50 g	8	110 g	5.XAFP-560	5.XAFB-560	5.XAFS-560	5.0000-561
1 g – 100 g	9	210 g	5.XAFP-570	5.XAFB-570	5.XAFS-570	5.0000-571
1 g – 200 g	11	610 g	5.XAFP-580	5.XAFB-580	5.XAFS-580	5.0000-581
1 g – 500 g	12	1.110 g	5.XAFP-590	5.XAFB-590	5.XAFS-590	5.0000-591
1 g – 1 kg	13	2.110 g	5.XAFP-610	5.XAFB-610	5.XAFS-610	5.0000-611
1 g – 2 kg	15	6.110 g	5.XAFP-620	5.XAFB-620	5.XAFS-620	5.0000-621
1 g – 5 kg	16	11.110 g	5.XAFP-630	5.XAFB-630	5.XAFS-630	5.0000-631
1 g – 10 kg	17	21.110 g	5.XAFP-640	5.XAFB-640	5.XAFS-640	5.0000-641

SETS with mg- weights (flat polygonal sheets)

Nominal value	Qty.	Content	Clean room plastic box	Beech wood box	Service case	DAkks Calibration certificate
			Art.no.	Art.no.	Art.no.	Art.no.
1 mg – 50 g	20	111,11 g	5.XMFP-760	5.XMFB-760	5.XMFS-760	5.0000-761
1 mg – 100 g	21	211,11 g	5.XMFP-770	5.XMFB-770	5.XMFS-770	5.0000-771
1 mg – 200 g	23	611,11 g	5.XMFP-780	5.XMFB-780	5.XMFS-780	5.0000-781
1 mg – 500 g	24	1.111,11 g	5.XMFP-790	5.XMFB-790	5.XMFS-790	5.0000-791
1 mg – 1 kg	25	2.111,11 g	5.XMFP-810	5.XMFB-810	5.XMFS-810	5.0000-811
1 mg – 2 kg	27	6.111,11 g	5.XMFP-820	5.XMFB-820	5.XMFS-820	5.0000-821
1 mg – 5 kg	28	11.111,11 g	5.XMFP-830	5.XMFB-830	5.XMFS-830	5.0000-831
1 mg – 10 kg	29	21.111,11 g	5.XMFP-840	5.XMFB-840	5.XMFS-840	5.0000-841



*as long as supplies last

Knob weights






STAINLESS STEEL HF12 finely turned




SINGLE WEIGHT

Nominal value	Tol.	without box	 Plastic boxes with screwed top	 Clean room plastic cases	 Beech wood box	 Service case	DAkks Calibration certificate
	+/- mg	Art.no.	Art.no.	Art.no.	Art.no.	Art.no.	5.0000-Art.no.
1 g	1,0	5.KEFO-110	5.KEFD-110	5.KEFP-110	5.KEFB-110		...111
2 g	1,2	5.KEFO-120	5.KEFD-120	5.KEFP-120	5.KEFB-120		...121
5 g	1,6	5.KEFO-130	5.KEFD-130	5.KEFP-130	5.KEFB-130		...131
10 g	2,0	5.KEFO-140	5.KEFD-140	5.KEFP-140	5.KEFB-140		...141
20 g	2,5	5.KEFO-150	5.KEFD-150	5.KEFP-150	5.KEFB-150		...151
50 g	3,0	5.KEFO-160	5.KEFD-160	5.KEFP-160	5.KEFB-160		...161
100 g	5	5.KEFO-170	5.KEFD-170	5.KEFP-170	5.KEFB-170		...171
200 g	10	5.KEFO-180	5.KEFD-180	5.KEFP-180	5.KEFB-180		...181
500 g	25	5.KEFO-190	5.KEFD-190	5.KEFP-190	5.KEFB-190		...191
1 kg	50	5.KEFO-210	5.KEFD-210	5.KEFP-210	5.KEFB-210		...211
2 kg	100	5.KEFO-220	5.KEFD-220	5.KEFP-220	5.KEFB-220		...221
5 kg	250	5.KEFO-230	5.KEFD-230	5.KEFP-230	5.KEFB-230	5.KEFS-230	...231
10 kg	500	5.KEFO-240	5.KEFD-240	5.KEFP-240	5.KEFB-240	5.KEFS-240	...241
20 kg	1000	5.KEFO-250		5.KEFP-250	5.KEFB-250	5.KEFS-250	...251


SETS

Nominal value	Qty.	Content	 Clean room plastic box	 Beech wood box	 Service case	DAkks Calibration certificate
			Art.no.	Art.no.	Art.no.	Art.no.
1 g – 50 g	8	110 g	5.XKFP-560	5.XKFB-560	5.XKFS-560	5.0000-561
1 g – 100 g	9	210 g	5.XKFP-570	5.XKFB-570	5.XKFS-570	5.0000-571
1 g – 200 g	11	610 g	5.XKFP-580	5.XKFB-580	5.XKFS-580	5.0000-581
1 g – 500 g	12	1.110 g	5.XKFP-590	5.XKFB-590	5.XKFS-590	5.0000-591
1 g – 1 kg	13	2.110 g	5.XKFP-610	5.XKFB-610	5.XKFS-610	5.0000-611
1 g – 2 kg	15	6.110 g	5.XKFP-620	5.XKFB-620	5.XKFS-620	5.0000-621
1 g – 5 kg	16	11.110 g	5.XKFP-630	5.XKFB-630	5.XKFS-630	5.0000-631
1 g – 10 kg	17	21.110 g	5.XKFP-640	5.XKFB-640	5.XKFS-640	5.0000-641

SETS with mg- weights (flat polygonal sheets)





Nominal value	Qty.	Content	 Clean room plastic box	 Beech wood box	 Service case	DAkks Calibration certificate
			Art.no.	Art.no.	Art.no.	Art.no.
1 mg – 50 g	20	111,11 g	5.XFFP-760	5.XFFB-760	5.XFFS-760	5.0000-761
1 mg – 100 g	21	211,11 g	5.XFFP-770	5.XFFB-770	5.XFFS-770	5.0000-771
1 mg – 200 g	23	611,11 g	5.XFFP-780	5.XFFB-780	5.XFFS-780	5.0000-781
1 mg – 500 g	24	1.111,11 g	5.XFFP-790	5.XFFB-790	5.XFFS-790	5.0000-791
1 mg – 1 kg	25	2.111,11 g	5.XFFP-810	5.XFFB-810	5.XFFS-810	5.0000-811
1 mg – 2 kg	27	6.111,11 g	5.XFFP-820	5.XFFB-820	5.XFFS-820	5.0000-821
1 mg – 5 kg	28	11.111,11 g	5.XFFP-830	5.XFFB-830	5.XFFS-830	5.0000-831
1 mg – 10 kg	29	21.111,11 g	5.XFFP-840	5.XFFB-840	5.XFFS-840	5.0000-841

Hook weight






BRASS* finely turned

SINGLE WEIGHT

Nominal value	Tol.	without box	 Plastic boxes with screwed top	 Clean room plastic cases	 Beech wood box	 Service case	DAKKS Calibration certificate
	+/- mg	Art.no.	Art.no.	Art.no.	Art.no.	Art.no.	5.0000-Art.no.
1 g	1,0	5.HMFO-110	5.HMFD-110	5.HMFP-110	5.HMFB-110		...111
2 g	1,2	5.HMFO-120	5.HMFD-120	5.HMFP-120	5.HMFB-120		...121
5 g	1,6	5.HMFO-130	5.HMFD-130	5.HMFP-130	5.HMFB-130		...131
10 g	2,0	5.HMFO-140	5.HMFD-140	5.HMFP-140	5.HMFB-140		...141
20 g	2,5	5.HMFO-150	5.HMFD-150	5.HMFP-150	5.HMFB-150		...151
50 g	3,0	5.HMFO-160	5.HMFD-160	5.HMFP-160	5.HMFB-160		...161
100 g	5	5.HMFO-170	5.HMFD-170	5.HMFP-170	5.HMFB-170		...171
200 g	10	5.HMFO-180	5.HMFD-180	5.HMFP-180	5.HMFB-180		...181
500 g	25	5.HMFO-190	5.HMFD-190	5.HMFP-190	5.HMFB-190		...191
1 kg	50	5.HMFO-210	5.HMFD-210	5.HMFP-210	5.HMFB-210		...211
2 kg	100	5.HMFO-220	5.HMFD-220	5.HMFP-220	5.HMFB-220		...221
5 kg	250	5.HMFO-230	5.HMFD-230	5.HMFP-230	5.HMFB-230	5.HMFS-230	...231
10 kg	500	5.HMFO-240	5.HMFD-240	5.HMFP-240	5.HMFB-240	5.HMFS-240	...241
20 kg	1000	5.HMFO-250		5.HMFP-250	5.HMFB-250	5.HMFS-250	...251
50 kg	2500	5.HMFO-260			5.HMFB-260	5.HMFS-260	...261

SETS

Nominal value	Qty.	Content	 Clean room plastic box	 Beech wood box	 Service case	DAKKS Calibration certificate
			Art.no.	Art.no.	Art.no.	Art.no.
1 g – 50 g	8	110 g	5.XHFP-560	5.XHFB-560	5.XHFS-560	5.0000-561
1 g – 100 g	9	210 g	5.XHFP-570	5.XHFB-570	5.XHFS-570	5.0000-571
1 g – 200 g	11	610 g	5.XHFP-580	5.XHFB-580	5.XHFS-580	5.0000-581
1 g – 500 g	12	1.110 g	5.XHFP-590	5.XHFB-590	5.XHFS-590	5.0000-591
1 g – 1 kg	13	2.110 g	5.XHFP-610	5.XHFB-610	5.XHFS-610	5.0000-611
1 g – 2 kg	15	6.110 g	5.XHFP-620	5.XHFB-620	5.XHFS-620	5.0000-621
1 g – 5 kg	16	11.110 g	5.XHFP-630	5.XHFB-630	5.XHFS-630	5.0000-631
1 g – 10 kg	17	21.110 g	5.XHFP-640	5.XHFB-640	5.XHFS-640	5.0000-641

*as long as supplies last







Hook weight






STAINLESS STEEL HF12 finely turned

SINGLE WEIGHT

Nominal value	Tol.	without box	 Plastic boxes with screwed top	 Clean room plastic cases	 Beech wood box	 Service case	DAkKS Calibration certificate
	+/- mg	Art.no.	Art.no.	Art.no.	Art.no.	Art.no.	5.0000-Art.no.
1 g	1,0	5.HEFO-110	5.HEFD-110	5.HEFP-110	5.HEFB-110		...111
2 g	1,2	5.HEFO-120	5.HEFD-120	5.HEFP-120	5.HEFB-120		...121
5 g	1,6	5.HEFO-130	5.HEFD-130	5.HEFP-130	5.HEFB-130		...131
10 g	2,0	5.HEFO-140	5.HEFD-140	5.HEFP-140	5.HEFB-140		...141
20 g	2,5	5.HEFO-150	5.HEFD-150	5.HEFP-150	5.HEFB-150		...151
50 g	3,0	5.HEFO-160	5.HEFD-160	5.HEFP-160	5.HEFB-160		...161
100 g	5	5.HEFO-170	5.HEFD-170	5.HEFP-170	5.HEFB-170		...171
200 g	10	5.HEFO-180	5.HEFD-180	5.HEFP-180	5.HEFB-180		...181
500 g	25	5.HEFO-190	5.HEFD-190	5.HEFP-190	5.HEFB-190		...191
1 kg	50	5.HEFO-210	5.HEFD-210	5.HEFP-210	5.HEFB-210		...211
2 kg	100	5.HEFO-220	5.HEFD-220	5.HEFP-220	5.HEFB-220		...221
5 kg	250	5.HEFO-230	5.HEFD-230	5.HEFP-230	5.HEFB-230	5.HEFS-230	...231
10 kg	500	5.HEFO-240	5.HEFD-240	5.HEFP-240	5.HEFB-240	5.HEFS-240	...241
20 kg	1000	5.HEFO-250		5.HEFP-250	5.HEFB-250	5.HEFS-250	...251
50 kg	2500	5.HEFO-260			5.HEFB-260	5.HEFS-260	...261

SETS

Nominal value	Qty.	Content	 Clean room plastic box	 Beech wood box	 Service case	DAkKS Calibration certificate
			Art.no.	Art.no.	Art.no.	Art.no.
1 g – 50 g	8	110 g	5.XUFP-560	5.XUFB-560	5.XUFS-560	5.0000-561
1 g – 100 g	9	210 g	5.XUFP-570	5.XUFB-570	5.XUFS-570	5.0000-571
1 g – 200 g	11	610 g	5.XUFP-580	5.XUFB-580	5.XUFS-580	5.0000-581
1 g – 500 g	12	1.110 g	5.XUFP-590	5.XUFB-590	5.XUFS-590	5.0000-591
1 g – 1 kg	13	2.110 g	5.XUFP-610	5.XUFB-610	5.XUFS-610	5.0000-611
1 g – 2 kg	15	6.110 g	5.XUFP-620	5.XUFB-620	5.XUFS-620	5.0000-621
1 g – 5 kg	16	11.110 g	5.XUFP-630	5.XUFB-630	5.XUFS-630	5.0000-631
1 g – 10 kg	17	21.110 g	5.XUFP-640	5.XUFB-640	5.XUFS-640	5.0000-641





Block weights



rectangular

SINGLE WEIGHT



CAST IRON black painted

Nominal value	Tol. +/- mg	without box Art.no.	 Leather cases	 Service case	DAkks Calibration certificate
			Art.no.	Art.no.	Art.no.
5 kg	250	5.BGSO-230	5.BGSL-230	5.BGSS-230	5.0000-231
10 kg	500	5.BGSO-240	5.BGSL-240	5.BGSS-240	5.0000-241
20 kg	1000	5.BGSO-250	5.BGSL-250	5.BGSS-250	5.0000-251
25 kg	1250	5.BGSO-450		5.BGSS-450	5.0000-451
50 kg	2500	5.BGSO-260		5.BGSS-260	5.0000-261



SINGLE WEIGHT



CAST IRON zinc sprayed


Nominal value	Tol. +/- mg	without box Art.no.	 Leather cases	 Service case	DAkks Calibration certificate
			Art.no.	Art.no.	Art.no.
5 kg	250	5.BGZO-230	5.BGZL-230	5.BGZS-230	5.0000-231
10 kg	500	5.BGZO-240	5.BGZL-240	5.BGZS-240	5.0000-241
20 kg	1000	5.BGZO-250	5.BGZL-250	5.BGZS-250	5.0000-251
25 kg	1250	5.BGZO-450		5.BGZS-450	5.0000-451
50 kg	2500	5.BGZO-260		5.BGZS-260	5.0000-261



SINGLE WEIGHT

STAINLESS STEEL HF12 polished / glass pearl blasted

Nominal value	Tol. +/- mg	without box Art.no.	 Leather cases	 Service case	DAkks Calibration certificate
			Art.no.	Art.no.	Art.no.
5 kg	250	5.BETO-230	5.BETL-230	5.BEGS-230	5.0000-231
10 kg	500	5.BETO-240	5.BETL-240	5.BEGS-240	5.0000-241
20 kg	1000	5.BETO-250	5.BETL-250	5.BEGS-250	5.0000-251
25 kg	1250	5.BETO-450		5.BEGS-450	5.0000-451
50 kg	2500	5.BETO-260		5.BEGS-260	5.0000-261




Block weights

**STAINLESS STEEL HF12**

round

polished / glass pearl blasted

SINGLE WEIGHT

Nominal value	Tol.	without box	 Service case	DAkkS Calibration certificate
	+/- mg	Art.no.	Art.no.	Art.no.
5 kg	250	5.RETO-230	5.RETS-230	5.0000-231
10 kg	500	5.RETO-240	5.RETS-240	5.0000-241
20 kg	1000	5.RETO-250	5.RETS-250	5.0000-251
25 kg	1250	5.RETO-450	5.RETS-450	5.0000-451
50 kg	2500	5.RETO-260	5.RETS-260	5.0000-261

Basket weights

**STAINLESS STEEL HF12**

for round block weights

polished / glass pearl blasted

Nominal value	max. weight	Tol.	without box	DAkkS Calibration certificate
		+/- mg	Art.no.	Art.no.
20 kg	120 kg	1000	5.NETO-250	5.0000-251
40 kg	250 kg	2000	5.NETO-410	5.0000-411
50 kg	500 kg	2500	5.NETO-260	5.0000-261
60 kg	500 kg	3000	5.NETO-420	5.0000-421

for rectangular block weights




Nominal value	max. weight	Tol.	without box	DAkkS Calibration certificate
		+/- mg	Art.no.	Art.no.
20 kg	120 kg	1000	5.LETO-250	5.0000-251
40 kg	250 kg	2000	5.LETO-410	5.0000-411
50 kg	500 kg	2500	5.LETO-260	5.0000-261
60 kg	500 kg	3000	5.LETO-420	5.0000-421

Custom-made products according to customer specification.

Block weights

rectangular



SINGLE WEIGHT

Nominal value	Tol. +/- g	CAST IRON black painted	CAST IRON zinc sprayed	DAKKS Calibration certificate
		without box Art.no.	without box Art.no.	Art.no.
100 kg	5	5.BGSO-270	5.BGZO-270	5.0000-271
200 kg	10	5.BGSO-280	5.BGZO-280	5.0000-281
250 kg	12,5	5.BGSO-460	5.BGZO-460	5.0000-461
500 kg	25	5.BGSO-290	5.BGZO-290	5.0000-291
1000 kg	50	5.BGSO-310	5.BGZO-310	5.0000-311
2000 kg	100	5.BGSO-320	5.BGZO-320	5.0000-321

round with eyebolt



SINGLE WEIGHT

STAINLESS STEEL HF12 polished / glass pearl blasted

Nominal value	Tol. +/- g	without box		DAKKS Calibration certificate
		Art.no.	Art.no.	Art.no.
100 kg	5	5.BETO-270	5.0000-271	5.0000-271
200 kg	10	5.BETO-280	5.0000-281	5.0000-281
250 kg	12,5	5.BETO-460	5.0000-461	5.0000-461
500 kg	25	5.BETO-290	5.0000-291	5.0000-291
1000 kg	50	5.BETO-310	5.0000-311	5.0000-311
2000 kg	100	5.BETO-320	5.0000-321	5.0000-321

Rolling weights



CAST IRON black painted

SINGLE WEIGHT

Nominal value	Tol. +/- g	without box		DAKKS Calibration certificate
		Art.no.	Art.no.	Art.no.
100 kg	5	5.RGSO-270	5.0000-271	5.0000-271
200 kg	10	5.RGSO-280	5.0000-281	5.0000-281
500 kg	25	5.RGSO-290	5.0000-291	5.0000-291

Carrier weights



SINGLE WEIGHT

BRASS**
finely turned

STAINLESS STEEL
HF12 finely turned

STEEL
black finished

DAkKS

Calibration certificate

Nominal value	Tol.	without box	without box	without box	DAkKS
	+/- mg	Art.no.	Art.no.	Art.no.	Calibration certificate
					Art.no.
1 g*	1,0	5.TMFO-110			5.0000-111
2 g*	1,2	5.TMFO-120			5.0000-121
5 g*	1,6	5.TMFO-130			5.0000-131
10 g*	2,0	5.TMFO-140	5.TEFO-140		5.0000-141
20 g*	2,5	5.TMFO-150	5.TEFO-150		5.0000-151
50 g*	3,0	5.TMFO-160	5.TEFO-160		5.0000-161
100 g*	5	5.TMFO-170	5.TEFO-170		5.0000-171
200 g*	10	5.TMFO-180	5.TEFO-180		5.0000-181
500 g*	25	5.TMFO-190	5.TEFO-190	5.TSBO-190	5.0000-191
1 kg	50	5.TMFO-210	5.TEFO-210	5.TSBO-210	5.0000-211
2 kg	100	5.TMFO-220	5.TEFO-220	5.TSBO-220	5.0000-221
5 kg	250	5.TMFO-230	5.TEFO-230	5.TSBO-230	5.0000-231
10 kg	500	5.TMFO-240	5.TEFO-240	5.TSBO-240	5.0000-241
20 kg	1000	5.TMFO-250	5.TEFO-250	5.TSBO-250	5.0000-251
50 kg	2500	5.TMFO-260	5.TEFO-260	5.TSBO-260	5.0000-261

*DAkKS calibration: Case necessary for weights ≤ 500 g. Price for storage case on demand.

**as long as supplies last

Slotted weights



SINGLE WEIGHT

BRASS**
finely turned

STAINLESS STEEL
HF12 finely turned

CAST IRON
black painted

DAkKS

Calibration certificate

Nominal value	Tol.	without box	without box	without box	DAkKS
	+/- mg	Art.no.	Art.no.	Art.no.	Calibration certificate
					Art.no.
1 g*	1,0	5.IMFO-110	5.IEFO-110		5.0000-111
2 g*	1,2	5.IMFO-120	5.IEFO-120		5.0000-121
5 g*	1,6	5.IMFO-130	5.IEFO-130		5.0000-131
10 g*	2,0	5.IMFO-140	5.IEFO-140		5.0000-141
20 g*	2,5	5.IMFO-150	5.IEFO-150		5.0000-151
50 g*	3,0	5.IMFO-160	5.IEFO-160		5.0000-161
100 g*	5	5.IMFO-170	5.IEFO-170		5.0000-171
200 g*	10	5.IMFO-180	5.IEFO-180		5.0000-181
500 g*	25	5.IMFO-190	5.IEFO-190	5.IGSO-190	5.0000-191
1 kg	50	5.IMFO-210	5.IEFO-210	5.IGSO-210	5.0000-211
2 kg	100	5.IMFO-220	5.IEFO-220	5.IGSO-220	5.0000-221
5 kg	250	5.IMFO-230	5.IEFO-230	5.IGSO-230	5.0000-231
10 kg	500	5.IMFO-240	5.IEFO-240	5.IGSO-240	5.0000-241
20 kg	1000	5.IMFO-250	5.IEFO-250	5.IGSO-250	5.0000-251
50 kg	2500			5.IGSO-260	5.0000-261

*DAkKS calibration: Case necessary for weights ≤ 500 g. Price for storage case on demand.

**as long as supplies last